

**Texas Environmental Resource Stewards (TERS):
Texas Ecological Assessment Protocol (TEAP) Results
Pilot Project**

Prepared by

**U. S. Environmental Protection Agency Region 6, Texas Parks and
Wildlife Department, and The Nature Conservancy**

**S. L. Osowski, J. Danielson, S. Schwelling, D. German, M. Swan, D.
Lueckenhoff, D. Parrish, A. K. Ludeke, and J. Bergan**

March 1, 2005

Table of Contents

Chapter	Page
EXECUTIVE SUMMARY	1
Background	1
Diversity	2
Rarity	2
Sustainability	3
Actions	4
1.0 INTRODUCTION	9
1.1 TERS History	9
1.2 Texas Ecological Assessment Protocol (TEAP) Goals	11
1.3 Background	12
1.3.1 Geographical Information System (GIS)-Based Assessments	12
1.3.2 Ecoregion Delineation	14
1.3.2.1 Types of Ecoregion Delineation	15
1.3.3 Ecological Theory Used in TEAP	15
1.3.3.1 Diversity	20
1.3.3.1.1 Appropriateness of Land Cover	20
1.3.3.1.2 Contiguous Size of Undeveloped Land	20
1.3.3.1.3 Shannon Land Cover Diversity Index	21
1.3.3.1.4 Ecologically Significant Stream Segments	22
1.3.3.2 Rarity	23
1.3.3.2.1 Vegetation Rarity	24
1.3.3.2.2 Natural Heritage Rank	24
1.3.3.2.3 Taxonomic Richness	25
1.3.3.2.4 Rare Species Richness	25
1.3.3.3 Sustainability	26
1.3.3.3.1 Contiguous Land Cover Type	26
1.3.3.3.2 Regularity of Ecosystem Boundary	27
1.3.3.3.3 Appropriateness of Land Cover	30
1.3.3.3.4 Waterway Obstruction	30
1.3.3.3.5 Road Density	30
1.3.3.3.6 Airport Noise	31
1.3.3.3.7 Superfund National Priority List (NPL) and State Superfund Sites	31
1.3.3.3.8 Water Quality	32
1.3.3.3.9 Air Quality	32
1.3.3.3.10 RCRA, TSD, Corrective Action and State VCP Sites	33
1.3.3.3.11 Urban/Agriculture Disturbance	34
1.3.4 TEAP Development	34
1.3.4.1 TPWD Conservation Planning	35

1.3.4.2 The Nature Conservancy Ecoregional Planning Process	35
1.3.4.3 EPA Region 5 CrEAM	37
2.0 METHODS	44
2.1 Base Unit Selection	44
2.2 TEAP Sub-layers and Layers	47
2.2.1 Diversity Layer	47
2.2.1.1 Appropriateness of Land Cover	47
2.2.1.2 Contiguous Size of Undeveloped Land	57
2.2.1.3 Shannon Land Cover Diversity Index	57
2.2.1.4 Ecologically Significant Stream Segments	58
2.2.2 Rarity Layer	59
2.2.2.1 Vegetation Rarity	59
2.2.2.2 Natural Heritage Rank	60
2.2.2.3 Taxonomic Richness	62
2.2.2.4 Rare Species Richness	63
2.2.3 Sustainability Layer	63
2.2.3.1 Contiguous Land Cover Type	63
2.2.3.2 Regularity of Ecosystem Boundary	64
2.2.3.3 Appropriateness of Land Cover	65
2.2.3.4 Waterway Obstruction	66
2.2.3.5 Road Density	66
2.2.3.6 Airport Noise	68
2.2.3.7 Superfund NPL and State Superfund Sites	69
2.2.3.8 Water Quality	69
2.2.3.9 Air Quality	69
2.2.3.10 RCRA, TSD, Corrective Action and State VCP Sites	70
2.2.3.11 Urban/Agriculture Disturbance	70
2.2.4 Accuracy Assessment	71
3.0 RESULTS	74
3.1 Diversity Layer	74
3.2 Rarity Layer	74
3.3 Sustainability Layer	77
3.4 Composite Layer	77
3.4.1 Ecoregion Composites	80
3.4.1.1 Southern High Plains	80
3.4.1.2 Texas High Plains	80
3.4.1.3 Rolling Plains	83
3.4.1.4 Rio Grande Plain	83
3.4.1.5 Redbed Plains	83
3.4.1.6 Cross Timbers and Prairie	83
3.4.1.7 Oak Woods and Prairies	88
3.4.1.8 Blackland Prairie	88
3.4.1.9 Mid Coastal Plains Western Section	88
3.4.1.10 Coastal Plains and Flatwoods Western Gulf Section	88

3.4.1.11 Edwards Plateau	92
3.4.1.12 Stockton Plateau	92
3.4.1.13 Chihuahuan Desert Basin and Range	92
3.4.1.14 Sacramento-Manzano Mountain	97
3.4.1.15 Louisiana Coast Prairies and Marshes	97
3.4.1.16 Eastern Gulf Prairies and Marshes	97
3.4.1.17 Central Gulf Prairies and Marshes	97
3.4.1.18 Southern Gulf Prairies and Marshes	102
3.4.2 Overlays	102
3.4.3 Accuracy Assessment	102
4.0 DISCUSSION	112
4.1 Data Limitations	113
4.2 Accuracy Assessment	117
4.3 Conservation	118
5.0 CONCLUSIONS	120
5.1 Streamlining	120
5.2 Next Steps	120
6.0 ACKNOWLEDGMENTS	122
7.0 REFERENCES	123
APPENDIX A: Descriptions of Bailey’s Ecoregions	134
Southeastern Mixed Forest	140
Mid Coastal Plains, Western (Section 231E)	140
Geomorphology	140
Lithology and Stratigraphy	140
Soil Taxa	140
Potential Natural Vegetation	141
Fauna	141
Climate	141
Surface Water Characteristics	141
Disturbance Regimes	141
Land Use	141
Eastern Gulf Prairies and Marshes (Section 231F)	141
Geomorphology	141
Lithology and Stratigraphy	142
Soil Taxa	142
Potential Natural Vegetation	142
Fauna	143
Climate	143
Surface Water Characteristics	143
Disturbance Regimes	143
Land Use	143

<u>Outer Coastal Plain Mixed Forest</u>	143
<u>Louisiana Coast Prairies and Marshes (Section 232E)</u>	143
<u>Geomorphology</u>	143
<u>Lithology and Stratigraphy</u>	144
<u>Soil Taxa</u>	144
<u>Potential Natural Vegetation</u>	144
<u>Fauna</u>	144
<u>Climate</u>	145
<u>Surface Water Characteristics</u>	145
<u>Disturbance Regimes</u>	145
<u>Land Use</u>	145
<u>Coastal Plains and Flatwoods, Western Gulf (Section 232F)</u>	145
<u>Geomorphology</u>	145
<u>Lithology and Stratigraphy</u>	146
<u>Soil Taxa</u>	146
<u>Potential Natural Vegetation</u>	146
<u>Fauna</u>	146
<u>Climate</u>	146
<u>Surface Water Characteristics</u>	147
<u>Disturbance Regimes</u>	147
<u>Land Use</u>	147
<u>Prairie Parkland (Subtropical)</u>	147
<u>Cross Timbers and Prairies (Section 255A)</u>	147
<u>Geomorphology</u>	147
<u>Lithology and Stratigraphy</u>	148
<u>Soil Taxa</u>	148
<u>Potential Natural Vegetation</u>	148
<u>Fauna</u>	148
<u>Climate</u>	148
<u>Surface Water Characteristics</u>	148
<u>Disturbance Regimes</u>	149
<u>Land Use</u>	149
<u>Blackland Prairies (Section 255B)</u>	149
<u>Geomorphology</u>	149
<u>Lithology and Stratigraphy</u>	149
<u>Soil Taxa</u>	149
<u>Potential Natural Vegetation</u>	150
<u>Fauna</u>	150
<u>Climate</u>	150
<u>Disturbance Regimes</u>	150
<u>Land Use</u>	150
<u>Oak Woods and Prairies (Section 255C)</u>	150
<u>Geomorphology</u>	150
<u>Lithology and Stratigraphy</u>	151

<u>Soil Taxa</u>	151
<u>Potential Natural Vegetation</u>	151
<u>Fauna</u>	151
<u>Climate</u>	152
<u>Surface Water Characteristics</u>	152
<u>Disturbance Regimes</u>	152
<u>Land Use</u>	152
<u>Central Gulf Prairies and Marshes (Section 255D)</u>	152
<u>Geomorphology</u>	152
<u>Lithology and Stratigraphy</u>	153
<u>Soil Taxa</u>	153
<u>Potential Natural Vegetation</u>	153
<u>Fauna</u>	153
<u>Climate</u>	153
<u>Surface Water Characteristics</u>	153
<u>Disturbance Regimes</u>	154
<u>Land Use</u>	154
<u>Great Plains Steppe and Shrub</u>	154
<u>Redbed Plains (Section 311A)</u>	154
<u>Geomorphology</u>	154
<u>Lithology and Stratigraphy</u>	155
<u>Soil Taxa</u>	155
<u>Potential Natural Vegetation</u>	155
<u>Fauna</u>	155
<u>Climate</u>	155
<u>Surface Water Characteristics</u>	155
<u>Disturbance Regimes</u>	155
<u>Land Use</u>	155
<u>Southwest Plateau and Plains Dry Steppe and Shrub</u>	156
<u>Texas High Plains (Section 315B)</u>	156
<u>Geomorphology</u>	156
<u>Lithology and Stratigraphy</u>	156
<u>Soil Taxa</u>	156
<u>Potential Natural Vegetation</u>	156
<u>Fauna</u>	156
<u>Climate</u>	157
<u>Surface Water Characteristics</u>	157
<u>Disturbance Regimes</u>	157
<u>Land Use</u>	157
<u>Rolling Plains (Section 315C)</u>	158
<u>Geomorphology</u>	158
<u>Lithology and Stratigraphy</u>	158
<u>Soil Taxa</u>	158
<u>Potential Natural Vegetation</u>	159

<u>Fauna</u>	159
<u>Climate</u>	159
<u>Surface Water Characteristics</u>	159
<u>Disturbance Regimes</u>	159
<u>Land Use</u>	159
<u>Edwards Plateau (Section 315D)</u>	159
<u>Geomorphology</u>	159
<u>Lithology and Stratigraphy</u>	160
<u>Soil Taxa</u>	160
<u>Potential Natural Vegetation</u>	160
<u>Fauna</u>	160
<u>Climate</u>	161
<u>Surface Water Characteristics</u>	161
<u>Disturbance Regimes</u>	161
<u>Land Use</u>	161
<u>Rio Grande Plain (Section 315E)</u>	161
<u>Geomorphology</u>	161
<u>Lithology and Stratigraphy</u>	161
<u>Soil Taxa</u>	161
<u>Potential Natural Vegetation</u>	162
<u>Fauna</u>	162
<u>Climate</u>	163
<u>Surface Water Characteristics</u>	163
<u>Disturbance Regimes</u>	163
<u>Land Use</u>	163
<u>Southern Gulf Prairies and Marshes (Section 315F)</u>	163
<u>Geomorphology</u>	163
<u>Lithology and Stratigraphy</u>	164
<u>Soil Taxa</u>	164
<u>Potential Natural Vegetation</u>	164
<u>Fauna</u>	164
<u>Climate</u>	164
<u>Surface Water Characteristics</u>	164
<u>Disturbance Regimes</u>	165
<u>Land Use</u>	165
<u>Arizona-New Mexico Mountains Semi-Desert - Open Woodland -</u>	
<u>Coniferous Forest - Alpine Meadow</u>	165
<u>Sacramento-Manzano Mountain (Section M313B)</u>	165
<u>Geomorphology</u>	165
<u>Lithology and Stratigraphy</u>	165
<u>Soil Taxa</u>	166
<u>Potential Natural Vegetation</u>	166
<u>Climate</u>	166
<u>Surface Water Characteristics</u>	166
<u>Disturbance Regimes</u>	166

<u>Cultural Ecology</u>	166
<u>Chihuahuan Semi-Desert</u>	167
<u>Basin and Range (Section 321A)</u>	167
<u>Geomorphology</u>	167
<u>Lithology and Stratigraphy</u>	168
<u>Soil Taxa</u>	168
<u>Potential Natural Vegetation</u>	168
<u>Climate</u>	168
<u>Surface Water Characteristics</u>	168
<u>Disturbance Regimes</u>	169
<u>Land Use</u>	169
<u>Cultural Ecology</u>	169
<u>Stockton Plateau (Section 321B)</u>	169
<u>Geomorphology</u>	169
<u>Lithology and Stratigraphy</u>	170
<u>Soil Taxa</u>	170
<u>Potential Natural Vegetation</u>	170
<u>Fauna</u>	170
<u>Climate</u>	171
<u>Surface Water Characteristics</u>	171
<u>Disturbance Regimes</u>	171
<u>Land Use</u>	171
<u>Great Plains-Palouse Dry Steppe</u>	171
<u>Southern High Plains (Section 331B)</u>	171
<u>Geomorphology</u>	171
<u>Lithology and Stratigraphy</u>	172
<u>Soil Taxa</u>	172
<u>Potential Natural Vegetation</u>	172
<u>Fauna</u>	172
<u>Climate</u>	172
<u>Surface Water Characteristics</u>	172
<u>Land Use</u>	172
<u>APPENDIX B: Individual sub-layer maps</u>	173
<u>Diversity layer</u>	176
<u>Rarity layer</u>	177
<u>Sustainability layer</u>	179
<u>Figures</u>	181
<u>APPENDIX C: List of Acronyms</u>	200
<u>APPENDIX D: List of contributors</u>	205

List of Tables

Table 1. TPWD planning results. Priority ecoregions for conservation efforts	36
Table 2. Relationship of the EPA SAB framework ecological attributes to EPA Region 5 CrEAM and TEAP	39
Table 3. Summary of TEAP layers.	48
Table 4. GIS data layers used for TEAP	53
Table 5. Kuchler (1964) PNV classifications and corresponding NLCD land cover types	55

List of Figures

Figure A. Map of the diversity layer with ecoregion boundaries..	5
Figure B. Map of the rarity layer with ecoregion boundaries.	6
Figure C. Map of the sustainability layer with ecoregion boundaries..	7
Figure D. Composite map with ecoregion boundaries..	8
Figure 1. Map of Bailey’s ecoregion sections.	16
Figure 2. Map of Omernik ecoregions.	17
Figure 3. Map of Gould’s vegetation types.	18
Figure 4. Map of Texas natural areas	19
Figure 5. Map of the diversity layer with ecoregion boundaries. This map is a composite of four sub-layers (Figures B1-B4)	75
Figure 6. Map of the rarity layer with ecoregion boundaries. This map is a composite of four sub-layers (Figures B5-B8)	76
Figure 7. Map of the sustainability layer with ecoregion boundaries. This map is a composite of eleven sub-layers (Figures B9-B19)..	78
Figure 8. Composite map with ecoregion boundaries. This map is a composite of the diversity layer (Figure 5), rarity layer (Figure 6), and	

sustainability layer (Figure 7)..	79
Figure 9 . Southern High Plains composite map. A separate figure (Figure 8) shows the entire state..	81
Figure 10 . Texas High Plains composite map. A separate figure (Figure 8) shows the entire state..	82
Figure 11 . Rolling Plains composite map. A separate figure (Figure 8) shows the entire state .	84
Figure 12 . Rio Grande Plain composite map. A separate figure (Figure 8) shows the entire state .	85
Figure 13 . Redbed Plains composite map. A separate figure (Figure 8) shows the entire state	86
Figure 14 . Cross Timbers and Prairie composite map. A separate figure (Figure 8) shows the entire state	87
Figure 15 . Oak Woods and Prairies composite map. A separate figure (Figure 8) shows the entire state	89
Figure 16 . Blackland Prairie composite map. A separate figure (Figure 8) shows the entire state	90
Figure 17 . Mid Coastal Plains, Western Section composite map. A separate figure (Figure 8) shows the entire state	91
Figure 18 . Coastal Plains and Flatwoods, Western Gulf Section composite map. A separate figure (Figure 8) shows the entire state.	93
Figure 19 . Edwards Plateau composite map. A separate figure (Figure 8) shows the entire state	94
Figure 20 . Stockton Plateau composite map. A separate figure (Figure 8) shows the entire state	95
Figure 21 . Chihuahuan Desert Basin and Range composite map. A separate figure (Figure 8) shows the entire state	96
Figure 22 . Sacramento-Manzano Mountain composite map. A separate figure (Figure 8) shows the entire state	98
Figure 23 . Louisiana Coast Prairies and Marshes composite map. A separate figure (Figure 8) shows the entire state	99

Figure 24. Eastern Gulf Prairies and Marshes composite map. A separate figure (Figure 8) shows the entire state	100
Figure 25. Central Gulf Prairies and Marshes composite map. A separate figure (Figure 8) shows the entire state	101
Figure 26. Southern Gulf Prairies and Marshes composite map. A separate figure (Figure 8) shows the entire state	103
Figure 27. Composite map with public lands overlay. Public lands include National and State Parks, National Forests and Grasslands, Department of Defense lands, and National Wildlife Refuges.	104
Figure 28. Composite map with transportation corridors overlay. IH69 and Trans Texas Corridor are included	105
Figure 29. Composite map with watershed boundary overlay	106
Figure 30. Map depicting areas used for the accuracy assessment.	107
Figure 31. a) Statewide frequencies of TEAP composite scores (by class) that occur inside and outside TNC portfolio; b) statewide frequencies expressed as a percentage of TEAP composite scores occurring inside and outside TNC portfolio.	108
Figure 32. Map of proposed IH69 corridor depicting areas used for the accuracy assessment.	110
Figure 33. a) IH69 corridor frequencies of TEAP composite scores (by class) that occur inside and outside TNC portfolio; b) IH69 corridor frequencies expressed as a percentage of TEAP composite scores occurring inside and outside TNC portfolio	111
Figure B1. Map of diversity sub-layer: appropriateness of land cover. This map is used to produce the map of the diversity layer (Figure 5).	181
Figure B2. Map of diversity sub-layer: contiguous size of undeveloped land. This map is used to produce the map of the diversity layer (Figure 5).	182
Figure B3. Map of diversity sub-layer: Shannon land cover diversity index. This map is used to produce the map of the diversity layer (Figure 5).	183
Figure B4. Map of diversity sub-layer: ecologically significant stream segments. This map is used to produce the map of the diversity layer (Figure 5).	184

Figure B5.	Map of rarity sub-layer: vegetation rarity. This map is used to produce the map of the rarity layer (Figure 6).	185
Figure B6.	Map of rarity sub-layer: natural heritage rank. This map is used to produce the map of the rarity layer (Figure 6).	186
Figure B7.	Map of rarity sub-layer: taxonomic richness. This map is used to produce the map of the rarity layer (Figure 6).	187
Figure B8.	Map of rarity sub-layer: rare species richness. This map is used to produce the map of the rarity layer (Figure 6).	188
Figure B9.	Map of sustainability sub-layer: contiguous land cover type. This map is used to produce the map of the sustainability layer (Figure 6).	189
Figure B10.	Map of sustainability sub-layer: regularity of ecosystem boundary. This map is used to produce the map of the sustainability layer (Figure 7).	190
Figure B11.	Map of sustainability sub-layer: appropriateness of land cover. This map is used to produce the map of the sustainability layer (Figure 7).	191
Figure B12.	Map of sustainability sub-layer: waterway obstruction. This map is used to produce the map of the sustainability layer (Figure 7).	192
Figure B13.	Map of sustainability sub-layer: road density. This map is used to produce the map of the sustainability layer (Figure 7).	193
Figure B14.	Map of sustainability sub-layer: airport noise. This map is used to produce the map of the sustainability layer (Figure 7).	194
Figure B15.	Map of sustainability sub-layer: Superfund National Priority List and state Superfund Sites. This map is used to produce the map of the sustainability layer (Figure 7).	195
Figure B16.	Map of sustainability sub-layer: water quality. This map is used to produce the map of the sustainability layer (Figure 7).	196
Figure B17.	Map of sustainability sub-layer: air quality. This map is used to produce the map of the sustainability layer (Figure 7).	197
Figure B18.	Map of sustainability sub-layer: RCRA TSD, corrective action and state VCP sites. This map is used to produce the map of the sustainability layer (Figure 7).	198
Figure B19.	Map of sustainability sub-layer: urban/agriculture disturbance. This map is used to produce the map of the sustainability layer (Figure 7).	199